ENERGY SAVING PRODUCTS GO GREEN! with APS Resource

LED Dock Lighting

- LED Upgrades
- **V ENERGY GUARD®**
- V Dock Leveler Weatherseal
- **7** Door Weatherseal





S Resource®

Your Aftermarket Solution

ENERGY SAVING DOCK LIGHTS



High Impact LED ™ Dock Light





E-Saver 38™ LED Lamp

FT Ultra LED[™] Dock Light

The 15 watt FT Ultra LED Dock Light from APS Resource provides an abundant amount of light output using less energy.

- 33" stainless steel flexible arm for easy positioning
- Significant energy saving 15 watt LED with 50,000 hour LED lamp life
- Control box includes ON/OFF toggle switch and built in 120V outlet with a 6 ft. cord
- Meets FDA and USDA requirements for food and pharmaceutical facilities
- Durable construction, designed to resist impact; ETL listed

High Impact LED[™] Dock Light

The High Impact LED Dock Light delivers maximum light output using only 18 watts.

- Rugged, compact design for the most demanding applications
- Convenient recessed ON/OFF switch
- 18 watt LED with 60,000 hour LED lamp life
- 100-240VAC/60HZ
- · Meets requirements for food and pharmaceutical facilities
- NEMA4; IP66 rated; UL & cUL listed

G-Flex LED Dock Light[™]

The G-Flex LED Dock Light uses a minimum amount of energy for the maximum light output into your trailer.

- 14W permanent LED 0.12AMP Draw @120V
- Heavy Duty, flexible, 27" stainless steel arm with steel elbow that simplifies positioning
- 120V, 50/60 HZ
- Polycarbonate light head remains cool to the touch
- UL and cUL certified
- Great choice for food and pharmaceutical use

E-Saver[™] LED Lamps

The APS Resource E-Saver LED Replacement Lamp saves significant amounts of energy with a rapid return on investment.

- Available in an 18 watt, PAR38 or 15watt, PAR30 lamp
- LED uses 10-12% the energy of a traditional 150 watt incandescent bulb
- 50,000 hour extra long life expectancy
- Durable construction to withstand impact
- Meets requirements for food and pharmaceutical facilities

CE approved; UL listed



E-Saver 30 ™ LED Lamp



ENERGY SAVING AT THE DOCK



ENERGY GUARD® Retrofit Kits

ENERGY GUARD Retrofit Kits provide a superior perimeter seal along the sides and rear of the dock leveler and block dirt, debris, pests and energy loss.

- Available for most Kelley®, Serco® and some competitive dock levelers
- Eliminates gaps around sides and rear of dock leveler; seals lifting holes
- Prevents mass flow of air minimizing transfer of heat into and out of facility
- Side seal assemblies are open cell foam encapsulated with reinforced vinyl
- Rear hinge seal constructed of durable 2-ply material
- Unrestricted access to pit for cleaning and dock leveler inspection. No curtains or fabric blocking access to the dock leveler and pit
- Kits fit common dock leveler widths 6', 6.5' and 7'
- Kits fit common dock leveler lengths 6', 8' and 10'
- "Low profile" version available for narrow pit gaps



ENERGY GUARD® Retrofit Kit Installation





ENERGY GUARD® components seal all leveler openings



LED Upgrades

LED Light Upgrades for Vehicle Restraints

LED upgrades available for both inside and outside red/green lights. Replace higher maintenance incandescent bulbs with safer, long lasting LED technology.

- Brighter LED lights provide high visibility communication
- Uses 40% of the energy of a traditional incandescent bulb system
- Long lasting LED technology
- No maintenance, high vibration resistant
- Available in 12-24V & 115V low-profile design



'S Resource®

Your Aftermarket Solution ©2013 4Front Engineered Solutions, Inc. - APS Resour





Dock Leveler Brush Seal









Dock Stufr®

Dock Leveler Weatherseal

Dock Leveler Side Seal

- Fits snuggly in the gaps between pit walls and dock levelers for maximum protection against the elements
- Available in 1", 1.5" or 2" brush lengths
- Available in 1" or 1.5" PVC

Chain Sealr™

- Helps prevent pests from entering the facility through the chain opening of the dock leveler
- Available in two sizes 1.75" or 2.5" diameter

Rear Spiral Brush Seal

 This innovative, new brush style, rear-hinge seal, fits securely in the rear hinge gap of the dock leveler

Door Weatherseal

Edge Sealr™

- Provides an extra tight seal between the dock leveler and overhead door
- Constructed of 22 oz. vinyl, available up to 12'
- Custom sizes available

Door Brush Seal

- Dense polypropylene bristle weatherseal
- Available in numerous door panel widths; 1.5", 2" and 3" bristle lengths
- Standard 45° or 180° aluminum extrusion for effective door sealing

Door Sprag[™]

Fills the gap between the dock leveler and pit wall

Dock Stufr®

The Dock Stufr easily and inexpensively eliminates misc. dock gaps.

- Constructed from heavy-duty coated fabric for durability and long life
- Includes strap for portability and attachment grommet
- Available in 18" and 30" as standard

Your Aftermarket Solution

ENERGY SAVING FANS

Turbo-ES™ Fan

Provides more airflow at lower amperage than any comparable truck fan on the market.

- Powerful 1/3 HP, 120V, 3.0 Amp, energy efficient motor
- Circulates up to 1275 CFM
- Durable steel construction withstands impacts
- Lightweight, compact size
- Articulated mounting arm for precise positioning

Dock Light / Fan

Improves poor lighting and ventilation at the dock.

- 3-speed, 18", 5,500 CFM fan
- Available with 24", 42", 62" or 90" total arm reach
- Optional LED, High Pressure Sodium, Quartz Halogen, Metal Halide or Fluorescent Bulbs
- UL listed

Light Duty Industrial Ceiling Fans

Alternative to 4Front Engineered Solutions HVLS Fans when not applicable.

- 56" blade, 115V single phase, 3 curved steel blades
- Other models available



Personnel Fans

Portable Air Blower

- Belt Drive 36" or 42" blades, 1 speed, 115V capacitor start motor
- Direct Drive 30" or 36" blades, 2 speed, 1/3 HP motor

Air Circulator

- 30" blade, 1/3 HP, 2 speed motor, 115V single phase
- · Pedestal or wall mount, available in chrome or safety yellow



Turbo-ES™ Fan





APS RESOURCE'S COMPREHENSIVE LINEUP INCLUDES:

airDefense[®] Retro Fit Kits APS&GO - LED™ Safety Light Systems APS 2000[®] Rotating Hook Vehicle Restraint ATC - Air Conversion Kit™ **Bollard Covers Bumper Brackets & Buildouts Column Protectors Curb Angle Sets Dock Bumpers** Dock Defender™ Bumper **Dock Guide Lights** Dock Impact Barrier™ Dock Impact Barrier - LC™ Dock Light / Fan Combinations **Dock Seal Recovers Dock Seal Wear Pleats** Dock Strobe™ Dock Stufr[®] **Dock Visual Barrier DOK-LOK®** Replacement Parts Door Edge Sealr™ **Door Section Saver** Door Sprag[™] Seals **Drain Pipe Protectors ENERGY GUARD® Retrofit Kits** E-Saver 30[™] LED Lamp E-Saver 38[™] LED Lamp Extra Length Dock Bumpers FLEX-BACK[™] Door Panel Fork Sentry FT Ultra LED[™] Dock Light G-Flex Dock Light™ G-Flex LED Dock Light™ High Impact LED™ Dock Light High Pressure Sodium Dock Lights Hold-Safe[™] Trailer Stabilizer

HTC - Hydraulic Conversion Kit™ Kelley Atlantic Brand Service Parts Kelley[®] Brand Service Parts Laminated Dock Bumpers LED Guide Lights LED Upgrade Kits Metal Head Dock Lights Molded Dock Bumpers **Pipe Bollards** Pit Kits Polycarbonate Head Dock Lights Portable Dock Plates & Dockboards Portable Rail Ramps **Rack Post Protectors Rear Spiral Seal Reflect & Guide Stripes Rite-Hite® Brand Service Parts** Security Dock Gates Sentry-Rail™ Guard Railing Serco[®] Brand Service Parts Spring Head Dock Lights Stand-off Kits for Restraints Steel Faced Dock Bumpers Steel Pit Kits Trak-Sentry[™] Door Track Protectors Truck Alert Light Communication Systems Turbo-ES[™] Fan T-Track Weatherseal, Brush & PVC Visual Barriers Weatherseal Kits for Dock Levelers & Doors Wheel Chocks & Chains Wheel Risers Work Safe Gate[™] Yard Ramps Z-Guard Door Track Protectors

Your APS Resource Local Distributor Is:





